
ww.msk.or.kr





▮일 자 : 2007년 5월 10일(목) ~ 11일(금)

》 장 소 : 보광 휘닉스파크 (강원도 평창 소재)

후원: 한국과학기술단체총연합회, 한국학술진흥재단




^{실트}한국미생물학회



한국생명공학연구원

2007 International Meeting of the Microbiological Society of Korea



(B040)	Influence	of	Pulsed	Electric	Field	Generated	Around	Hot	Pepper	Plant	on	Growth	and	Wilt
	Diseases													

Byung Kwan Na* and Doo Hyun Park
Department of Biological Engineering, Seokyeong University

- Methodology Study for Classifying Soil Ecological Quality using Microbial Diversity Information
 Dongwon Ki*, Jaejin Lee, and Joonhong Park
 School of Civil and Environmental Engineering, Yonsei University
- B042 A New Cultivation Method Development for Antibiotic Resistant Bacteria under Wide Range of Nutrient Levels from Water Samples

 Hyangkyun Oh*, Jaejin Lee, Il Han, and Joonhong Park

 Department of Civil and Environmental Engineering, Yonsei University
- Biosorption of Chromium (VI) from Aqueous Solution onto Dead Biomass from Activated Sludge

Kaliannan Thamaraiselvi^{1,2*}, Kangsuk Kim¹, Shankar Congeevaram¹, and Joonhong Park¹ Department of Civil Environmental Engineering, Yonsei University, ²Department of Environmental Biotechnology, Bharathidasan University, India

- A Possible Natural Alternative to Antibiotics

 Young Ho Kim^{1*}, Min Hee Kim¹, Yong Nam Kim¹, and Ji Young Kim²

 Department of Life Science, The University of Suwon, Department of Life Science, The University of Suwon
- Phylogenetic Characteristics of Bacterial Populations in Pine Mushroom (*Tricholoma matsutake*)

 Habitat Soil and Purification of Acidobacteria Phylum

 Yun-Ji Kim^{1*} and Kyung-Sook Whang^{1,2}

 Institute of Microbial Ecology and Resources, Mokwon University, ²Department of Microbiology, Mokwon University
- Assessment of Fungal Diversity in Western Islands Soil by Amplified Ribosomal DNA Restriction Analysis and Pyrosequencing

 Young Woon Lim^{1*}, Changmu Kim^{2,3}, Byung Kwon Kim², Jae-Hak Lee⁴, Hyo Jin Kim², Jongsik Chun², and Hack Sung Jung²

 Institute of Molecular Biology and Genetics, Seoul National University, School of Biological Sciences, Seoul National University, Division of High-risk Pathogen Research Center, Korea Center for Disease Control and Prevention, Interdisciplinary Program in Bioinformatics, Seoul National University
- Biosorption of Chromium and Nickel by Isolated Heavy Metal Resistant A. niger [CSR-mbl1], M. halobius [CSR-mbl2], M. varians [CSR mbl3] Isolates

 Shankar Congeevaram^{1,2*}, Sridevi Dhanarani¹, Joonhong Park², Michael Dexilin¹, and Kaliannan Thamaraiselvi^{1,2}

 Department of Environmental Biotechnology, Bharathidhasan University, India, ²School of Civil and Environmental Engineering, Yonsei University

8041

Methodology Study for Classifying Soil Ecological Quality using Microbial Diversity Information

Dongwon Ki*, Jaejin Lee, and Joonhong Park School of Civil and Environmental Engineering, Yonsei University

For sustainable development, quantitative ecosystem values should be evaluated in the planning of mega-projects. To predict complex ecological behaviors, multi-layered database and integrated evaluation system are required. Compared to animal and plant ecosystem, the classification of soil ecological quality has been poorly established. Microbial communities are essential parts of soil and their activity is important to the soil function. In this study, we tested whether soil microbial diversity could be a good indicator of soil ecological quality. From soil sampling sites in Korea, soil microbial diversity data was obtained using T-RFLP analysis with 16S rDNA primers and restriction enzymes. Any correlation of soil microbial diversity with the ecological and environmental information from available soil DB was analyzed using statistical methods. The found correlation can be used to predict microbial diversity in unmeasured areas, which will be applied in developing a digital map of soil ecology quality.

[Supported by Environment-Friendly & Intelligent Road Design Research Group (05 CTRM D05-01) and Yonsei Univ., Center for Future Infrastructure System, aprogram, Korea]

B042

Cultivation Method Development for A New Antibiotic Resistant Bacteria under Wide Range of Nutrient Levels from Water Samples

Hyangkyun Oh*, Jaejin Lee, Il Han, and Joonhong Park Department of Civil and Environmental Engineering, Yonsei University

Infections by antibiotic-resistant microorganisms are dangerous. Typically, microbial risks are assessed by cultivation in nutrient-rich laboratory conditions. In nature, however, microorganisms are exposed to nutrient limitation conditions. The samples may underestirmate the risks of microbial activity. The purpose of this research is to develop a new cultivation method to detect antibiotic-resistant microorganisms in a wide range of nutrient levels. To create these oligotrophic, antibiotic-resistant microorganisms, we diluted, by 10° - 10° times, a nutrient medium, Luria-Bertani Broth. Then, we added tetracycline (100 ul/ml) to selectively culture antibiotic-resistant bacteria. Using this new method, we evaluated microbial risks in water samples from Han River, municipal and hospital wastewater in Seoul, and "yellow dust" particles of The highest risk was detected in the yellow dust samples, the level of which was compared to the microbial risk in chlortetracycline-fed piggery manure waste samples.

[Supported by Yonsei Univ., Center for Future Infrastructure system, a BK 21 program, Korea and the Natural Hazard Mitigation Research Group, National Emergency Management Agency]

B043

Biosorption of Chromium (VI) from Aqueous Solution onto Dead Biomass from Activated Sludge

Kaliannan Thamaraiselvi 1,2*, Kangsuk Kim1, Shankar Congeevaram¹, and Joonhong Park¹

¹Department of Civil Environmental Engineexing, Yonsei University, ²Department of Environmental Biotechnology, Bharathidasan University, India

Heavy metals are of major concern due to their toxicity and biomagnification which lead to the control measures. Conventional treatment processes requires high capital and operation costs and hence biosorption of heavy metals by activated sludge biomass provided an alternative technique. The biosorption studies of Cr(VI) on dead bacterial biomass isolated from activated sludge were carried out with varying parameters such as time, biomass concentration, pH and initial metal ion concentration. The adsorption rate constant values were calculated using Lagergren rate equation. Langmuir and Freundlich parameters showed that the Cr(VI) metal ion sorption process is favorable onto biomass. Sorption kinetic data would be useful for environmental technologists in designing treatment plants for heavy metal containing wastewaters. Desorption studies were carried out to elucidate the mechanism of sorption and also for the recovery of metal. Since activated sludge is disposed as waste from industries the resulting dead biomass sorbent is expected to be economically feasible and environmentally safe.

[Supported by a BK21 (Center for Future Infrastructure System, Yonsei Univ.), Koreal

B044

A Possible Natural Alternative to Antibiotics

Young Ho Kim1*, Min Hee Kim1, Yong Nam Kim1, and Ji Young Kim²

¹Department of Life Science, The University of Suwon, ²Department of Life Science, The University of Suwon

Bacterial resistance to antibiotics has become a serious medical problem and a concerning matter in the live-stock farming the aquaculture of when they are fed with a mass of Some bacteria can be a resistant against antibiotics as they can be adapted to changing environmental conditions in a continuous process of evolution. This resistance is promoted by both the overuse of antibiotics and insufficiency of dose. Bacteria are becoming a multiple resistance to a range of antibiotics. During the massive farming using a feeding stuff contained with some antibiotics to prevent the infectious disease, they are exposed to the over-dosed antibiotics. Thus meat consumers are easily endangered by indirect contamination with antibiotics residues and/or antibiotic resistant bacteria.

We propose a possible natural alternative antibiotics be able to control the antibiotic resistant bacterial infections in the animal farm or aquacultural farm. This antibiotics alternative, Bio-Mazzal, is composed of a mixtures extracted from some specific plants and sea-weeds. This studies is funded by Mazzee-Bio company.